SAFETY DATA SHEET

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product identifier

Product name TIMBERLINK SIENNA AND TANALITH E TREATED PLANTATION SOFTWOOD

Synonyms COPPER AZOLE TREATED PLANTATION SOFTWOOD ● SOFTWOOD TANALITH E TREATED ● TREATED

SOFTWOOD

1.2 Uses and uses advised against

Uses BUILDING APPLICATIONS • CONSTRUCTION • TIMBER

1.3 Details of the supplier of the product

Supplier name TIMBERLINK AUSTRALIA

Address Lot 3B 1490 Ferntree Gully Road, Knoxfield, VIC, 3180, AUSTRALIA

Telephone 03 9212 7466

Email <u>info@timberlinkaustralia.com.au</u>

Website http://www.timberlinkaustralia.com.au

1.4 Emergency telephone numbers

Emergency 13 11 26

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

NOT CLASSIFIED AS HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA

2.2 GHS Label elements

No signal word, pictograms, hazard or precautionary statements have been allocated.

2.3 Other hazards

No information provided.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances / Mixtures

Ingredient	CAS Number	EC Number	Content
ETHANOLAMINE	141-43-5	205-483-3	0.5 to 2%
COPPER	7440-50-8	231-159-6	0.37 to 1%
BORIC ACID	10043-35-3	233-139-2	0.14 to 0.42%
TEBUCONAZOLE	107534-96-3	403-640-2	0.014 to 0.042%
SOFTWOOD(S)	-	-	>95%
SOLUBILISER(S)	-	-	<0.5%

4. FIRST AID MEASURES

4.1 Description of first aid measures

Eye If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until advised to

stop by a Poisons Information Centre, a doctor, or for at least 15 minutes.

Inhalation If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.

Skin If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water.

Page 1 of 6

Continue flushing with water until advised to stop by a Poisons Information Centre or a doctor.

ChemAlert.

SDS Date: 28 Apr 2021

PRODUCT NAME TIMBERLINK SIENNA AND TANALITH E TREATED PLANTATION SOFTWOOD

Ingestion For advice, contact a Poisons Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). Due to

product form and application, ingestion is considered unlikely.

4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

4.3 Immediate medical attention and special treatment needed

Treat symptomatically.

5. FIRE FIGHTING MEASURES

5.1 Extinguishing media

Water spray or fog, for large quantities. Prevent contamination of drains and waterways.

5.2 Special hazards arising from the substance or mixture

Combustible. May evolve toxic gases (carbon/ copper/ nitrogen/ boron oxides, ammonia) when heated to decomposition. Dust may form explosive mixtures with air.

5.3 Advice for firefighters

Evacuate area and contact emergency services. Toxic gases may be evolved in a fire situation. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire.

5.4 Hazchem code

None allocated.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear Personal Protective Equipment (PPE) as detailed in section 8 of the SDS.

6.2 Environmental precautions

Prevent product from entering drains and waterways.

6.3 Methods of cleaning up

If spilt, collect and reuse where possible.

6.4 Reference to other sections

See Sections 8 and 13 for exposure controls and disposal.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry area.

7.3 Specific end uses

No information provided.

ChemAlert.

SDS Date: 28 Apr 2021

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Exposure standards

Ingredient	Reference	TWA		STEL	
Ingredient	IXEIGIGIICE -	ppm	mg/m³	ppm	mg/m³
Copper (fume)	SWA [AUS]		0.2		
Copper (fume, dusts & mists)	SWA [Proposed]		0.01		
Copper, dusts & mists (as Cu)	SWA [AUS]		1		
Ethanolamine	SWA [AUS]	3	7.5	6	15
Wood dust (soft wood)	SWA [AUS]		5		10

Biological limits

No biological limit values have been entered for this product.

8.2 Exposure controls

Engineering controls Avoid inhalation. Use in well ventilated areas. If sanding, drilling or cutting, use appropriate local extraction

ventilation. Maintain dust levels below the recommended exposure standard.

PPE

Eye / Face Wear dust-proof goggles. **Hands** Wear leather or cotton gloves.

Body Not required under normal conditions of use.

Respiratory If cutting or sanding with potential for dust generation, wear a Class P1 (Particulate) respirator.

Page 3 of 6





9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance PALE GREEN TO BROWN SOLID

Odour SLIGHT RESINOUS OR METALLIC ODOUR

Flammability COMBUSTIBLE
Flash point NOT AVAILABLE
Boiling point NOT AVAILABLE
Melting point NOT AVAILABLE
Evaporation rate NOT AVAILABLE
pH NOT AVAILABLE
Vapour density NOT AVAILABLE

0.4 to 1.1 Relative density Solubility (water) **INSOLUBLE** Vapour pressure **NOT AVAILABLE NOT AVAILABLE Upper explosion limit** Lower explosion limit **NOT AVAILABLE** Partition coefficient **NOT AVAILABLE** 265°C (Approximately) **Autoignition temperature NOT AVAILABLE Decomposition temperature Viscosity NOT AVAILABLE Explosive properties NOT AVAILABLE** Oxidising properties **NOT AVAILABLE Odour threshold NOT AVAILABLE**

10. STABILITY AND REACTIVITY



SDS Date: 28 Apr 2021

PRODUCT NAME TIMBERLINK SIENNA AND TANALITH E TREATED PLANTATION SOFTWOOD

10.1 Reactivity

Carefully review all information provided in sections 10.2 to 10.6.

10.2 Chemical stability

Stable under recommended conditions of storage.

10.3 Possibility of hazardous reactions

Polymerization will not occur.

10.4 Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources.

10.5 Incompatible materials

Compatible with most commonly used materials.

10.6 Hazardous decomposition products

May evolve toxic gases (carbon/ copper/ nitrogen/ boron oxides, ammonia) when heated to decomposition.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

This product is expected to be of low acute toxicity. Under normal conditions of use, adverse health effects are not anticipated. However, this product may present a hazard if wood is sanded, drilled or cut with dust generation.

Information available for the ingredients:

Ingredient	Oral LD50	Dermal LD50	Inhalation LC50
ETHANOLAMINE	1089 mg/kg (rat) (AICIS)	1025 mg/kg (rabbit) (AICIS)	2.45 mg/L/4hrs (rat, extrapolated)
COPPER		> 2000 mg/kg (rat)	
BORIC ACID	2660 mg/kg (rat)	> 2000 mg/kg (rabbit)	> 0.16 mg/L/4 H (rat)
TEBUCONAZOLE	2000 mg/kg (mouse)	> 5000 mg/kg (rat)	> 800 mg/m³/4hrs (rat)

Skin Prolonged or repeated exposure to dust may result in mechanical irritation and dermatitis.

Due to product form and nature of use, the potential for exposure is reduced. Product may present a hazard Eye

if wood is cut or sanded with dust generation, which may result in lacrimation and irritation.

Sensitisation Not classified as causing skin or respiratory sensitisation.

Mutagenicity Not classified as a mutagen.

Not classified as a carcinogen. However, repeated exposure to wood dust may result in nasal and paranasal Carcinogenicity

sinus cancers (IARC Group 1). Adverse health effects are usually associated with long-term exposure to

high dust levels.

Not classified as a reproductive toxin. Reproductive

STOT - single exposure

Not classified as causing organ damage from single exposure. Due to product form and nature of use, the potential for exposure is reduced. An inhalation hazard is not anticipated unless cut, drilled or sanded with

dust generation, which may result in irritation of the nose and throat.

STOT - repeated

exposure

Not classified as causing organ damage from repeated exposure.

Not classified as causing aspiration. **Aspiration**

12. ECOLOGICAL INFORMATION

12.1 Toxicity

No information provided.

12.2 Persistence and degradability

No information provided.

12.3 Bioaccumulative potential

No information provided.

SDS Date: 28 Apr 2021 Page 4 of 6



PRODUCT NAME TIMBERLINK SIENNA AND TANALITH E TREATED PLANTATION SOFTWOOD

12.4 Mobility in soil

No information provided.

12.5 Other adverse effects

No information provided.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Waste disposal Dispose of to an approved landfill or waste processing site. Contact the manufacturer/supplier for additional

information (if required).

Legislation Dispose of in accordance with relevant local legislation.

14. TRANSPORT INFORMATION

NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE, IMDG OR IATA

	LAND TRANSPORT (ADG)	SEA TRANSPORT (IMDG / IMO)	AIR TRANSPORT (IATA / ICAO)
14.1 UN Number	None allocated.	None allocated.	None allocated.
14.2 Proper Shipping Name	None allocated.	None allocated.	None allocated.
14.3 Transport hazard class	None allocated.	None allocated.	None allocated.
14.4 Packing Group	None allocated.	None allocated.	None allocated.

14.5 Environmental hazards

No information provided.

14.6 Special precautions for user

Hazchem code None allocated.

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison schedule A poison schedule number has not been allocated to this product using the criteria in the Standard for the

Uniform Scheduling of Medicines and Poisons (SUSMP).

Classifications Safe Work Australia criteria is based on the Globally Harmonised System (GHS) of Classification and

Labelling of Chemicals (GHS Revision 7).

Inventory listings AUSTRALIA: AllC (Australian Inventory of Industrial Chemicals)

All components are listed on AIIC, or are exempt.

16. OTHER INFORMATION

Additional information

RESPIRATORS: In general the use of respirators should be limited and engineering controls employed to avoid exposure. If respiratory equipment must be worn ensure correct respirator selection and training is undertaken. Remember that some respirators may be extremely uncomfortable when used for long periods. The use of air powered or air supplied respirators should be considered where prolonged or repeated use is necessary.

PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as form of product, method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

ChemAlert.

SDS Date: 28 Apr 2021 Revision No: 4

Page 5 of 6

PRODUCT NAME TIMBERLINK SIENNA AND TANALITH E TREATED PLANTATION SOFTWOOD

HEALTH EFFECTS FROM EXPOSURE:

It should be noted that the effects from exposure to this product will depend on several factors including: form of product; frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

Abbreviations ACGIH American Conference of Governmental Industrial Hygienists

CAS # Chemical Abstract Service number - used to uniquely identify chemical compounds

CNS Central Nervous System

EC No. EC No - European Community Number

EMS Emergency Schedules (Emergency Procedures for Ships Carrying Dangerous

Goods)

GHS Globally Harmonized System

GTEPG Group Text Emergency Procedure Guide IARC International Agency for Research on Cancer

LC50 Lethal Concentration, 50% / Median Lethal Concentration

LD50 Lethal Dose, 50% / Median Lethal Dose

mg/m³ Milligrams per Cubic Metre
OEL Occupational Exposure Limit

pH relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly

alkaline).

ppm Parts Per Million

STEL Short-Term Exposure Limit

STOT-RE Specific target organ toxicity (repeated exposure)
STOT-SE Specific target organ toxicity (single exposure)

SUSMP Standard for the Uniform Scheduling of Medicines and Poisons

SWA Safe Work Australia
TLV Threshold Limit Value
TWA Time Weighted Average

Report status

This document has been compiled by RMT on behalf of the manufacturer, importer or supplier of the product and serves as their Safety Data Sheet ('SDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer, importer or supplier or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer, importer or supplier.

While RMT has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

Prepared by

Risk Management Technologies 5 Ventnor Ave, West Perth Western Australia 6005 Phone: +61 8 9322 1711 Fax: +61 8 9322 1794

Email: info@rmt.com.au Web: www.rmtglobal.com

[End of SDS]



SDS Date: 28 Apr 2021

Page 6 of 6 SDS Date: 2